

PubMed

Search: non detergent sulphobetaines

U.S. National Library of Medicine
National Institutes of Health

Filter your results: All (5)

Display Settings: Summary, Sorted by Recently Added

[Manage Filters](#)

Results: 5

1. [Solubilization of membrane proteins for two-dimensional gel electrophoresis: identification of sarcoplasmic reticulum membrane proteins.](#)
Babu GJ, Wheeler D, Alzate O, Periasamy M.
Anal Biochem. 2004 Feb 1;325(1):121-5.
PMID: 14715292 [PubMed - indexed for MEDLINE]
2. [Non-detergent sulphobetaines enhance the recovery of membrane and/or cytoskeleton-associated proteins and active proteases from erythrocytes infected by Plasmodium falciparum.](#)
Blisnick T, Morales-Betoulle ME, Vuillard L, Rabilloud T, Braun Breton C.
Eur J Biochem. 1998 Mar 15;252(3):537-41.
PMID: 9546671 [PubMed - indexed for MEDLINE] [Free Article](#)
3. [Non-detergent sulphobetaines: a new class of molecules that facilitate in vitro protein renaturation.](#)
Goldberg ME, Expert-Bezançon N, Vuillard L, Rabilloud T.
Fold Des. 1996;1(1):21-7.
PMID: 9079360 [PubMed - indexed for MEDLINE]
4. [Non-detergent sulphobetaines: a new class of molecules that facilitate in vitro protein renaturation.](#)
Goldberg ME, Expert-Bezançon N, Vuillard L, Rabilloud T.
Fold Des. 1995;1(1):21-7.
PMID: 9162136 [PubMed - as supplied by publisher]
5. [Non-detergent sulphobetaines: a new class of mild solubilization agents for protein purification.](#)
Vuillard L, Braun-Breton C, Rabilloud T.
Biochem J. 1995 Jan 1;305 (Pt 1):337-43.
PMID: 7826351 [PubMed - indexed for MEDLINE] [Free PMC Article](#) [Free text](#)

PubMed

Search: G-CSF inclusion bodies

U.S. National Library of Medicine
National Institutes of Health

Filter your results: All (41)

Display Settings: Summary, 20 per page, Sorted by Recently Added

[Manage Filters](#)

Did you mean: [g csf infusion bodies](#) (1 items)

Are you looking for gene information?

Source: Gene Database

CSF3 (GCSF) colony stimulating factor 3 (granulocyte) [Homo sapiens]

[gcsf](#) in [Homo sapiens](#) | [Mus musculus](#) | All 7 Gene records

Results: 1 to 20 of 41

1. [Expression, purification and characterization of the extracellular domain of human Flt3 ligand in Escherichia coli.](#)
Zhao X, Zhang P, Liu Q, He F, Feng L, Han H.
Mol Biol Rep. 2009 Aug 20. [Epub ahead of print]
PMID: 19693697 [PubMed - as supplied by publisher]
2. [Human G-CSF synthesis using stress-responsive bacterial proteins.](#)
Song JA, Han KY, Park JS, Seo HS, Ahn KY, Lee J.
FEMS Microbiol Lett. 2009 Jul;296(1):60-6. Epub 2009 May 5.
PMID: 19458971 [PubMed - indexed for MEDLINE]
3. [Molecular cloning, expression in Escherichia coli and production of bioactive homogeneous recombinant human granulocyte and macrophage colony stimulating factor.](#)
Schwanke RC, Renard G, Chies JM, Campos MM, Junior EL, Santos DS, Basso LA.
Int J Biol Macromol. 2009 Aug 1;45(2):97-102. Epub 2009 Apr 21.
PMID: 19389424 [PubMed - indexed for MEDLINE]
4. [Glycerol-assisted hydrophobic interaction chromatography improving refolding of recombinant human granulocyte colony-stimulating factor.](#)
Wang F, Liu Y, Ma G, Su Z.
Appl Biochem Biotechnol. 2009 Dec;159(3):634-41. Epub 2009 Jan 25.
PMID: 19169664 [PubMed - indexed for MEDLINE]
5. [Single step intein-mediated purification of hGMCSF expressed in salt-inducible E. coli.](#)
Srinivasa Babu K, Muthukumaran T, Antony A, Prem Singh Samuel SD, Balamurali M, Murugan V, Meenakshisundaram S.
Biotechnol Lett. 2009 May;31(5):659-64. Epub 2009 Jan 16.
PMID: 19148982 [PubMed - indexed for MEDLINE]
6. [Engineering inclusion bodies for non denaturing extraction of functional proteins.](#)
Peternel S, Grdadolnik J, Gaberc-Porekar V, Komel R.
Microb Cell Fact. 2008 Dec 1;7:34.
PMID: 19046444 [PubMed - in process] [Free PMC Article](#) [Free text](#)
7. [Human granulocyte colony stimulating factor \(hG-CSF\): cloning, overexpression, purification and characterization.](#)
Vanz AL, Renard G, Palma MS, Chies JM, Dalmora SL, Basso LA, Santos DS.
Microb Cell Fact. 2008 Apr 4;7:13.
PMID: 18394164 [PubMed - in process] [Free PMC Article](#) [Free text](#)
8. [High recovery refolding of rhG-CSF from Escherichia coli, using urea gradient size exclusion chromatography.](#)

- Wang C, Wang L, Geng X.
Biotechnol Prog. 2008 Jan-Feb;24(1):209-13. Epub 2008 Jan 8.
PMID: 18179225 [PubMed - indexed for MEDLINE]
9. Transport proteins PotD and Crr of Escherichia coli, novel fusion partners for heterologous protein expression.
Han KY, Seo HS, Song JA, Ahn KY, Park JS, Lee J.
Biochim Biophys Acta. 2007 Dec;1774(12):1536-43. Epub 2007 Oct 4.
PMID: 17974510 [PubMed - indexed for MEDLINE]
 10. [Refolding and purification of recombinant human granulocyte colony-stimulating factor from Escherichia coli by using protein folding liquid chromatography]
Wang C, Wang L, Geng X.
Se Pu. 2007 Jul;25(4):514-7. Chinese.
PMID: 17970109 [PubMed - in process]
 11. Comparison of four methods for the purification and refolding of human interleukin-2-mouse granulocyte/macrophage colony-stimulating factor fusion protein.
Wen Q, Ma L, Luo W, Zhou MQ, He D, Lin Y, Wu ZQ, He XW, Wang JF, Wang XN.
Biotechnol Appl Biochem. 2008 May;50(Pt 1):41-8.
PMID: 17703750 [PubMed - indexed for MEDLINE]
 12. New properties of inclusion bodies with implications for biotechnology.
Peternel S, Jevsevar S, Bele M, Gaberc-Porekar V, Menart V.
Biotechnol Appl Biochem. 2008 Apr;49(Pt 4):239-46.
PMID: 17708747 [PubMed - indexed for MEDLINE]
 13. Effect of surface histidine mutations and their number on the partitioning and refolding of recombinant human granulocyte-colony stimulating factor (Cys17Ser) in aqueous two-phase systems containing chelated metal ions.
Zaveckas M, Zvirbliene A, Zvirblis G, Chmieliauskaite V, Bumelis V, Pesliakas H.
J Chromatogr B Analyt Technol Biomed Life Sci. 2007 Jun 1;852(1-2):409-19. Epub 2007 Feb 17.
PMID: 17539136 [PubMed - indexed for MEDLINE]
 14. The economics of inclusion body processing.
Lee GH, Cooney D, Middelberg AP, Choe WS.
Bioprocess Biosyst Eng. 2006 Jul;29(2):73-90. Epub 2006 May 23.
PMID: 16718467 [PubMed - indexed for MEDLINE]
 15. High-level expression and purification of recombinant huGM-CSF (9-127)/IL-6 (29-134) fusion protein in Escherichia coli.
Sun QM, Jiang HC, Xu WM, Liu X, Dai CB, Sun MS.
Protein Expr Purif. 2005 Aug;42(2):278-85. Retraction in: Sun QM, Jian HC, Xu WM, Liu X, Dai CB, Sun MS. Protein Expr Purif. 2007 Apr;52(2):486.
PMID: 15935697 [PubMed - indexed for MEDLINE]
 16. Production of nonclassical inclusion bodies from which correctly folded protein can be extracted.
Jevsevar S, Gaberc-Porekar V, Fonda I, Podobnik B, Grdadolnik J, Menart V.
Biotechnol Prog. 2005 Mar-Apr;21(2):632-9.
PMID: 15801811 [PubMed - indexed for MEDLINE]
 17. Expression, refolding, purification, and bioactivity of recombinant bifunctional protein, hIL-2/GM-CSF.
Wang QR, Ma L, Zhou MQ, Liu NY, Jing SR, Zou QM, Wang XN.
Protein Expr Purif. 2005 Feb;39(2):131-6.
PMID: 15642462 [PubMed - indexed for MEDLINE]
 18. Estimating the potential refolding yield of recombinant proteins expressed as inclusion bodies.
Ho JG, Middelberg AP.
Biotechnol Bioeng. 2004 Sep 5;87(5):584-92.

PMID: 15352056 [PubMed - indexed for MEDLINE]

19. Lipid droplet formation in human myeloid NB4 cells stimulated by all trans retinoic acid and granulocyte colony-stimulating factor: possible involvement of peroxisome proliferator-activated receptor gamma.
Inazawa Y, Nakatsu M, Yasugi E, Saeki K, Yuo A.
Cell Struct Funct. 2003 Oct;28(5):487-93.
PMID: 14745140 [PubMed - indexed for MEDLINE] [Free Article](#)
20. Combined in-fermenter extraction and cross-flow microfiltration for improved inclusion body processing.
Tin Lee C, Morreale G, Middelberg AP.
Biotechnol Bioeng. 2004 Jan 5;85(1):103-13.
PMID: 14705017 [PubMed - indexed for MEDLINE]

PubMed

Search: "gaberc porekar" G-CSF

U.S. National Library of Medicine
National Institutes of Health

Filter your results: All (4)

Display Settings: Summary, Sorted by Recently Added

[Manage Filters](#)

Are you looking for gene information?

Source: Gene Database

CSF3 (GCSF) colony stimulating factor 3 (granulocyte) [Homo sapiens]

[gcsf](#) in [Homo sapiens](#) | [Mus musculus](#) | [All 7 Gene records](#)

Results: 4

1. [Engineering inclusion bodies for non denaturing extraction of functional proteins.](#)
Peternel S, Grdadolnik J, Gaberc-Porekar V, Komel R.
Microb Cell Fact. 2008 Dec 1;7:34.
PMID: 19046444 [PubMed - in process] [Free PMC Article](#) [Free text](#)
2. [New properties of inclusion bodies with implications for biotechnology.](#)
Peternel S, Jevsevar S, Bele M, Gaberc-Porekar V, Menart V.
Biotechnol Appl Biochem. 2008 Apr;49(Pt 4):239-46.
PMID: 17708747 [PubMed - indexed for MEDLINE]
3. [Chemometric approach in quantification of structural identity/similarity of proteins in biopharmaceuticals.](#)
Zuperl S, Pristovsek P, Menart V, Gaberc-Porekar V, Novic M.
J Chem Inf Model. 2007 May-Jun;47(3):737-43. Epub 2007 Apr 26.
PMID: 17458952 [PubMed - indexed for MEDLINE]
4. [Production of nonclassical inclusion bodies from which correctly folded protein can be extracted.](#)
Jevsevar S, Gaberc-Porekar V, Fonda I, Podobnik B, Grdadolnik J, Menart V.
Biotechnol Prog. 2005 Mar-Apr;21(2):632-9.
PMID: 15801811 [PubMed - indexed for MEDLINE]

PubMed

Search: "menart" G-CSF

U.S. National Library of Medicine
National Institutes of Health

Filter your results: All (3)

Display Settings: Summary, Sorted by Recently Added

[Manage Filters](#)

Are you looking for gene information?

Source: Gene Database

CSF3 (GCSF) colony stimulating factor 3 (granulocyte) [Homo sapiens]

[gcsf](#) in [Homo sapiens](#) | [Mus musculus](#) | [All 7 Gene records](#)

Results: 3


1. [New properties of inclusion bodies with implications for biotechnology.](#)
Peternel S, Jevsevar S, Bele M, Gaberc-Porekar V, Menart V.
Biotechnol Appl Biochem. 2008 Apr;49(Pt 4):239-46.
PMID: 17708747 [PubMed - indexed for MEDLINE]
2. [Chemometric approach in quantification of structural identity/similarity of proteins in biopharmaceuticals.](#)
Zuperl S, Pristovsek P, Menart V, Gaberc-Porekar V, Novic M.
J Chem Inf Model. 2007 May-Jun;47(3):737-43. Epub 2007 Apr 26.
PMID: 17468952 [PubMed - indexed for MEDLINE]
3. [Production of nonclassical inclusion bodies from which correctly folded protein can be extracted.](#)
Jevsevar S, Gaberc-Porekar V, Fonda I, Podobnik B, Grdadolnik J, Menart V.
Biotechnol Prog. 2005 Mar-Apr;21(2):632-9.
PMID: 15801811 [PubMed - indexed for MEDLINE]

PubMed

Search: "podobnik" G-CSF

U.S. National Library of Medicine
National Institutes of Health

Display Settings: Abstract



Biotechnol Prog. 2005 Mar-Apr;21(2):632-9.

Production of nonclassical inclusion bodies from which correctly folded protein can be extracted.

Jevsevar S, Gaberc-Porekar V, Fonda I, Podobnik B, Grdadolnik J, Menart V.

Lek Pharmaceuticals d.d., Verovskova 57, SI-1000 Ljubljana, Slovenia. simona.jevsevar@ki.si

Abstract

Human granulocyte-colony stimulating factor (hG-CSF), an important biopharmaceutical drug used in oncology, is currently produced mainly in *Escherichia coli*. Expression of human hG-CSF gene in *E. coli* is very low, and therefore a semisynthetic, codon-optimized hG-CSF gene was designed and subcloned into pET expression plasmids. This led to a yield of over 50% of the total cellular proteins. We designed a new approach to biosynthesis at low temperature, enabling the formation of "nonclassical" inclusion bodies from which correctly folded protein can be readily extracted by nondenaturing solvents, such as mild detergents or low concentrations of polar solvents such as DMSO and nondetergent sulfobetaines. FT-IR analysis confirmed different nature of inclusion bodies with respect to the growth temperature and indicated presence of high amounts of very likely correctly folded reduced hG-CSF in nonclassical inclusion bodies. The yield of correctly folded, functional hG-CSF obtained in this way exceeded 40% of the total hG-CSF produced in the cells and is almost completely extractable under nondenaturing conditions. The absence of the need to include a denaturation/renaturation step in the purification process allows the development of more efficient processes characterized by higher yields and lower costs and involving environment-friendly technologies. The technology presented works successfully at the 50-L scale, producing nonclassical inclusion bodies of the same quality. The approach developed for the production of hG-CSF could be extended to other proteins; thus, a broader potential for industrial exploitation is envisaged.

PMID: 15801811 [PubMed - indexed for MEDLINE]

MeSH Terms, Substances

LinkOut - more resources